



Series No.: 20660 Pink Nitrile Powder Free Examination Gloves



BENEFITS OF PINK NITRILE POWDER FREE GLOVES

Experience the Perfect Blend of Style and Protection

ASAP Nitrile Powder Free Examination Gloves in Pink are here to add a vibrant touch to your professional environment. With their striking pink colour, these gloves are designed to make a statement while providing exceptional performance.

Unmatched Comfort and Protection

ASAP Nitrile Powder Free Examination Gloves in Pink offer a reliable and comfortable solution for your hand protection needs. Crafted from high-quality nitrile material, these gloves provide excellent resistance against chemicals, punctures, and tears. You can trust them to keep your hands safe and protected, allowing you to focus on your tasks with confidence.

Designed for Various Applications

Whether you work in the beauty, healthcare, or hospitality industry, ASAP Nitrile Powder Free Examination Gloves in Pink are suitable for a wide range of applications. The pink colour is particularly favoured in beauty sectors and provides a unique touch that sets you apart. From salons to tattoo studios, these gloves are an excellent choice for professionals who prioritize style without compromising on safety.

Key Features and Benefits:

- Striking Pink Colour: Stand out from the crowd and make a statement with these eye-catching
- Reliable Protection: The nitrile material offers superior resistance against chemicals, punctures, and tears.
- Comfortable Fit: Designed to provide a comfortable and snug fit for extended periods of wear.
- Powder-Free: Eliminates the risk of allergic reactions and avoids potential contamination.
- Finger Textured: Enhanced grip and tactile sensitivity for precise handling.

Regulations

- Medical Device Regulation (EU) 2017/745
- PPF Regulation (EU) 2016/425
- Food Contact Regulation (EU) 2020/1245 of Regulation (EU) No 10/2011
- REACH Regulation

Harmonized Standards

- EN ISO 21420:2020
- EN 374-1:2016+A1:2018
- EN 374-4:2019
- EN 374-5:2016
- EN 455-1:2020
- EN 455-2:2015
- EN 455-3:2015
- EN 455-4:2019

Quality Assurance

- ISO 9001:2015
- ISO 13485:2016
- ISO 14001:2015


























At ASAP, we are committed to hygiene control and quality assurance. Proper hygiene standard is practiced throughout the development of all ASAP products from raw materials handling, processing, production, inspection, to our finished product to deliver high quality products while limiting risk of cross-contamination.

Look for the Hygiene Matters™ logo, quality and hygiene you can trust.





NITRILE POWDER FREE EXAMINATION GLOVES



Colour Option:

Beauty



Healthcare



Cleaning



Series No.:

20660 Pink Nitrile Powder Free Examination Gloves

Series Size Codes

Extra Small	Small	Medium	Large
XS, 6	S, 7	M, 8	L, 9
20661	20662	20663	20664

Product Specifications

Design	Ambidextrous, Finger Textured Surface, Beaded Cuff			
Colour	Pink			
Acceptance Quality Level (AQL)	1.5			
Packing Mode	100 pcs per box, 10 boxes per carton			

Dimension Specifications

	Palm Width (mm)	Length (mm)	Thickness Single Wall (mm)			
Glove Size		EN 455	Cuff (25±5 from bead)	Palm (centre of palm)	Finger (13±3 from tip)	
XS, 6	75 ± 5	Min. 240	Min 0.05mm	Min 0.07mm	Min 0.10mm	
S, 7	85 ± 5					
M, 8	95 ± 5					
L, 9	105 ± 5					

Physical Properties Specifications

	EN 455 Force at Break (N)
Before Aging	Min. 6.0
After Aging	Min. 6.0

Packaging Dimensions

Inner	235 x 127 x 60mm
Carton	315 x 260 x 245mm

Powder Residue

Powder Free (mg/glove) Max. 2



NITRILE POWDER FREE EXAMINATION GLOVES

Instructions For Use

Description - Nitrile Powder Free Examination Gloves, Non-sterile, Single Use Only.

Intended Use - ASAP nitrile glove is a disposable glove product worn to protect the hand of wearer against mechanical action whose effects are superficial, cleaning materials of weak action and easily reversible effects.

How To Don Gloves - Inspect the gloves to ensure there are no pinholes or tears. If gloves are ambidextrous, they can be worn on either hand. If not, align the glove's fingers and thumb with the proper hand before donning. Insert five fingers into the cuff and pull the cuff over the wrist. Check for a secure fit around the fingers and palm. The cuff should fit snuggly around the wrist.

How To Doff Gloves - After use, users should visually check the glove and remove any contamination from the outer surface before removing the gloves from the hands. Grasp the outside edge of the glove near the wrist. Peel the glove away from the hand, turning it inside out. Hold it in the opposite glove hand. Slide an ungloved finger under the wrist of the remaining glove, be careful not to touch the outside of the glove. Peel the remaining glove off from the inside, creating a "bag" containing both gloves. Discard.

Disposal - Properly dispose of all used nitrile glove. Follow your institution's policies for use and disposal of these gloves.

Storage - Store in a dry place. Avoid excessive heat (30°C). Exposed product should be shielded from direct sunlight, intense artificial light, x-ray machines, and other source of ozone.

Shelf Life - Three years from the manufacturing date.

Warning - These gloves are for single and transient use only.

Caution - This information does not reflect the actual duration of protection in the workplace and the differentiation between mixtures and pure chemicals. The chemical resistance has been assessed under laboratory conditions from samples taken from the palm only (except in cases where the glove is equal or over 400mm - where the cuff is also tested) and relates only to the chemical tested.

It can be different if the chemical is used in a mixture. It is recommended to check that the gloves are suitable for the intended use because the conditions at the workplace may differ from the type test depending on the temperature, abrasion, and degradation. When used, protective gloves may provide less resistance to the dangerous chemical due to changes in the physical properties. Movements, snagging, rubbing, degradation caused by the chemical contact etc. may reduce the actual use time significantly.

For corrosive chemicals, degradation can be the most important factor to consider in selection of chemical resistant gloves. This product contains nitrile rubber, which may cause allergic reactions in individuals who are known or suspected to be allergic to nitrile rubber. If an allergic reaction occurs, stop using immediately and consult a physician. This product is not made of natural rubber latex.

EN ISO 374				
Chemical Permeation (EN ISO 374-1:2016+A1:2018/Type C)	Level	Mean Degradation % (EN ISO 374-4:2019)		
K 40% Sodium Hydroxide	5	-17.7	Degradation levels indicate the change in Puncture	
P 30% Hydrogen Peroxide	0	12.9	Degradation levels indicate the change in Puncture Resistance of the glove after exposure to the chal-	
T 37% Formaldehyde	4	-22.7	lenge chemical.	

EN ISO 374						
EN 16523-1:2015+A1:2018 Classification of Permeation Performance Level						
Measured Breakthrough Time (min)	>10	> 30	> 60	> 120	> 240	> 480
Permeation Performance Level	1	2	3	4	5	6

The penetration levels have been assessed under laboratory conditions and relates only to the tested specimen.

Resistance against Bacteria and Fungi - PASS Resistance against Virus - PASS

ASAP INTERNATIONAL SDN BHD No. 1, Jalan Sitar 33/6, Seksyen 33,

40400 Shah Alam, Selangor, Malaysia.

T:+603 5191 0166 F:+603 5191 0702 E:info@whyasap.com W:www.whyasap.com ASAP INNOVATIONS LTD.

Unit 7, The Courtyard, Fonthill Business Park, Fonthill Road, Dublin, D22 XA07, Ireland.

T: +353 1466 1660 E: info@whyasap.ie W: www.whyasap.ie ASAP INNOVATIONS (UK) LTD.

13, Diamond Court,
Opal Drive, Fox Milne,
Milton Keynes,
MK15 0DU, United Kingdom.

T:+44 (0) 1908 732700 E:info@whyasap.co.uk W:www.whyasap.co.uk

